

310-044

SUN

Sun Certified Network Administrator For Solaris 9

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 310-044 exam in first attempt and also get high scores to acquire SUN certification.

If you use OfficialCerts 310-044 Certification questions and answers, you will experience actual 310-044 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our SUN exam prep covers over 95% of the questions and answers that may be appeared in your 310-044 exam. Every point from pass4sure 310-044 PDF, 310-044 review will help you take SUN 310-044 exam much easier and become SUN certified.

Here's what you can expect from the OfficialCerts SUN 310-044 course:

- * Up-to-Date SUN 310-044 questions as experienced in the real exam.*
- * 100% correct SUN 310-044 answers you simply can't find in other 310-044 courses.*
- * All of our tests are easy to download. Your file will be saved as a 310-044 PDF.*
- * SUN 310-044 brain dump free content featuring the real 310-044 test questions.*

SUN 310-044 certification exam is of core importance both in your Professional life and SUN certification path. With SUN certification you can get a good job easily in the market and get on your path for success. Professionals who passed SUN 310-044 exam training are an absolute favorite in the industry. You will pass SUN 310-044 certification test and career opportunities will be open for you.

<http://tripleamarine.com/?cert=exams.asp?examcode=310-044>



QUESTION 1

You have used the appropriate startup scrip in /etc/init.d to start the NTP daemon. However, the NTP daemon does not start up. There is no error message. What is the reason for this?

- A. There is no configuration file.
- B. rpcbind is not running on the machine.
- C. The configuration file contains faulty entries.
- D. The NTP daemon cannot contact an NTP server.

Answer: A

Explanation: There must be a valid NTP configuration file named ntp.conf located in the /etc/inet directory in order for the xntpd daemon to start.

Incorrect Answers

- B: rpcbind has nothing to do with starting the NTP daemon.
- C: If the configuration file existed and contained a faulty entry, an error message would appear.
- D: The xntpd daemon must be running in order to contact an NTP server.

QUESTION 2

Given the NTP server IP address is 128.50.2.10, which two are valid entries in the NTP client configuration file? (Choose two)

- A. broadcastclient
- B. multicastclient
- C. multicastclient 24.0.1.1
- D. unicastclient 128.50.2.10
- E. broadcastclient 255.255.255.255

Answer: A, B

Explanation:

The broadcastclient option specifies that the local server should listen for broadcast messages on the local network in order to discover other servers on the same subnet. The multicastclient option is similar to the broadcastclient option, but operates using IP multicasting. If you provide one or more IP addresses, the server joins the respective multicast group(s). Otherwise, the IP address is assumed to be the one assigned to NTP (224.0.1.1).

Incorrect Answers

- C: 24.0.1.1 is not a valid multicast IP address.
- D: This is an invalid option.
- E: The broadcastclient option does not take an IP address as an argument.

QUESTION 3

Which entry in an NTP servers configuration file is used to alter the stratum level sent out with the NTP servers time advertisements?

- A. peer
- B. fudge
- C. prefer
- D. controlkey

Answer: B

Explanation: The fudge keyword in the `/etc/inet/ntp.conf` assigns a stratum level to a specified NTP server in the format `fudge [serverIPAddress] stratum [stratumlevel]`, where `serverIPAddress` is the IP address generated by combining the loopback network address with the `Xtype` reference number, and `stratumlevel` is an integer value greater than or equal to zero that specifies the hierarchical level between the local clock and the 'reference' clock.

Incorrect Answers

- A: This line specifies that the local server is to operate in 'symmetric active' mode with the remote server specified.
- C: This line specifies the host that will be preferred for synchronization over other comparable hosts.
- D: This line specifies the key identifier to use with `ntp(1M)`.

QUESTION 4

What is the full path name of the file which contains the clock type of an NTP server?

Answer: `/etc/inet/ntp.conf`

Explanation: The `ntp.conf` file resides in the `/etc/inet` directory and contains all the configuration information for an NTP server. The `ntp.server` file-also located in this directory-is provided as a template for creating `ntp.conf` on an NTP server.

QUESTION 5

A network administrator has several clients unable to generate ARP requests, and the administrator decides it is safe to use IP address assigned by DHCP servers. What should the network administrator do to ensure that DHCP clients `dhcpage` daemons will accept an IP address even though they are unable to generate an ARP request?

- A. Modify DHCP clients and disable RARP.
- B. Set the `IGNOREFAILEDARP` variable to `no`.
- C. Ensure that the client interface is set to `NOARP`.
- D. Set the `IGNOREFAILEDARP` variable to `yes`.

Answer: D

Explanation: This is a Boolean variable whose name is self-explanatory. Setting this variable to 'yes' will cause the dhcpagent daemon to ignore failed ARP requests.

Incorrect Answers

- A: Disabling RARP will not affect the DHCP client's ability to generate ARP requests.
- B: Setting IGNOREFAILEDARP to no will accomplish the opposite of the desired result in this scenario.
- C: There is no such variable.

QUESTION 6

To which DHCP environment term does SUNW.Ultra-510 apply?

- A. A macro
- B. An option
- C. A data type
- D. A vendor-client class

Answer: D

Explanation: The vendor-client class environment term indicates the vendor name (in this case SUN) and the client machine names (Ultra 5 or 10) separated by a period (.).

Incorrect Answers

- A: This is not a macro.
- B: This is not an option.
- C: This is not a data type.

QUESTION 7

Which causes a DHCP client to use its own host name?

- A. Removal of the /etc/dhcp.hme0 file.
- B. The appropriate entry in the /etc/hostname.hme0 file.
- C. Commenting out the RELEASEONSIGTERM=yes parameter.
- D. Client host name must exist in the DHCP database on the server.

Answer: B

Explanation: The DHCP client's dhcpagent daemon reads and uses the host name contained in the /etc/hostname.hme0 file.

Incorrect Answers

- A: Removing this file has no effect on the DHCP client using its own hostname.
- C: This line causes the DHCP client to release its assigned IP address; it does not determine whether or not to use its own host name.
- D: This is not necessary.

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

