

922-072

Nortel

*BCM50 RIs. 3.0, BCM200/400 RIs. 4.0 & BCM450 RIs.
1.0 Installation, Configuration & Maintenance*

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 922-072 exam in first attempt and also get high scores to acquire Nortel certification.

If you use OfficialCerts 922-072 Certification questions and answers, you will experience actual 922-072 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Nortel exam prep covers over 95% of the questions and answers that may be appeared in your 922-072 exam. Every point from pass4sure 922-072 PDF, 922-072 review will help you take Nortel 922-072 exam much easier and become Nortel certified.

Here's what you can expect from the OfficialCerts Nortel 922-072 course:

- * Up-to-Date Nortel 922-072 questions as experienced in the real exam.*
- * 100% correct Nortel 922-072 answers you simply can't find in other 922-072 courses.*
- * All of our tests are easy to download. Your file will be saved as a 922-072 PDF.*
- * Nortel 922-072 brain dump free content featuring the real 922-072 test questions.*

Nortel 922-072 certification exam is of core importance both in your Professional life and Nortel certification path. With Nortel certification you can get a good job easily in the market and get on your path for success. Professionals who passed Nortel 922-072 exam training are an absolute favorite in the industry. You will pass Nortel 922-072 certification test and career opportunities will be open for you.

<http://tripleamarine.com/?cert=exams.asp?examcode=922-072>



Question: 1

You have installed a DSM32+ MBM in slot 1 of a new BCM450 main unit and you want to connect a set and perform set-based programming. What is the next step?

- A. Identify the module.
- B. Deconfigure the module.
- C. Configure the module.
- D. Connect a set to the DSM32+.

Answer: D

Question: 2

Click on the Exhibit button.

While configuring a DTM module on a BCM450, the module was mistakenly identified as a DTM-PRI instead of a DTM-T1.

What must you do to correct the module identification?

- A. Select the row of the DTM you configured. Click the Configure button and enter ?TM-T1?as the module type.
- B. Select the row of the DTM you configured. Click the Deconfigure button. Click OK. Double-click the ?onfigured Device?column and select ?TM-T1?as the module type.
- C. Select the row of the DTM you configured. Double-click the ?onfigured Device?column and select ?D. Select the row of the DTM you configured. Click the Disable button. Click OK.

The screenshot shows a configuration window titled 'Telephony Resources'. On the left is a 'Task Navigation Panel' with a tree view containing 'Welcome', 'System', 'Administrator Access', 'Resources' (with sub-items like 'Application Resources', 'Media Gateways', 'Port Ranges', 'Telephony Resources', 'Dial Up Interfaces'), 'Telephony', 'Data Services', and 'Applications'. The 'Telephony Resources' section is active, displaying a table of modules.

Location	Configured Device	Dip Switch	Bus	State	Low	High	To
Internal	IP Trunks	N/A	N/A	N/A	001	020	
Internal	IP Sets	N/A	N/A	N/A	253	268	
Internal	Applications	N/A	N/A	N/A	300	399	
Main MBM 1	DSM32/DSM32+ MBM	All On	N/A	N/A	221	252	
Main MBM 1.1	DSM16	N/A	10.1	Enabling...	221	236	
Main MBM 1.2	DSM16	N/A	11.1	Enabling...	237	252	
Main MBM 2	DTM-PRI	All On	20.1	Enabling...	021	043	
Main MBM 3	None	N/A	N/A	N/A	N/A	N/A	
Main MBM 4	None	N/A	N/A	N/A	N/A	N/A	
Expansion 1	None	N/A	N/A	N/A	N/A	N/A	

At the bottom of the table are four buttons: 'Disable...', 'Enable...', 'Deconfigure...', and 'Configure...'.

- A. Select the row of the DTM you configured. Click the Configure button and enter DTM-T1 as the module type.
- B. Select the row of the DTM you configured. Click the Deconfigure button. Click OK. Double-click the Configured Device column and select DTM-T1 as the module type.
- C. Select the row of the DTM you configured. Double-click the onfigured Device column and select DTM-T1 as the module type.
- D. Select the row of the DTM you configured. Click the Disable button. Click OK. Double-click the Configured Device column and select DTM-T1 as the module type.

Answer: B

Question: 3

Which Media Bay Module (MBM) can be combined with the G4x16 on the same DS30 bus on a BCM200/400 system?

- A. DTM

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

