

A00-211

SASInstitute

SAS Base Programming for SAS (r) 9

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your A00-211 exam in first attempt and also get high scores to acquire SASInstitute certification.

If you use OfficialCerts A00-211 Certification questions and answers, you will experience actual A00-211 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our SASInstitute exam prep covers over 95% of the questions and answers that may be appeared in your A00-211 exam. Every point from pass4sure A00-211 PDF, A00-211 review will help you take SASInstitute A00-211 exam much easier and become SASInstitute certified.

Here's what you can expect from the OfficialCerts SASInstitute A00-211 course:

- * Up-to-Date SASInstitute A00-211 questions as experienced in the real exam.*
- * 100% correct SASInstitute A00-211 answers you simply can't find in other A00-211 courses.*
- * All of our tests are easy to download. Your file will be saved as a A00-211 PDF.*
- * SASInstitute A00-211 brain dump free content featuring the real A00-211 test questions.*

SASInstitute A00-211 certification exam is of core importance both in your Professional life and SASInstitute certification path. With SASInstitute certification you can get a good job easily in the market and get on your path for success. Professionals who passed SASInstitute A00-211 exam training are an absolute favorite in the industry. You will pass SASInstitute A00-211 certification test and career opportunities will be open for you.

<http://tripleamarine.com/?cert=exams.asp?examcode=A00-211>



QUESTION: 1

The SAS data set SASUSER.HOUSES contains a variable PRICE which has been assigned a permanent label of “Asking Price”. Which SAS program temporarily replaces the label “Asking Price” with the label “Sale Price” in the output?

- A. proc print data = sasuser.houses; label price = “Sale Price”; run;
- B. proc print data = sasuser.houses label; label price “Sale Price”; run;
- C. proc print data = sasuser.houses label; label price = “Sale Price”; run;
- D. proc print data = sasuser.houses; price = “Sale Price”; run;

Answer: C

QUESTION: 2

The following GAS program is submitted:

```
data work.empsalary;  
set work.people (in = inemp)  
work.money (in = insal);  
if insal and inemp;  
run;
```

The SAS data set WORKPEOPLE has 5 observations, and the data set WORKMONEY has 7 observations. How many observations will the data set WORK.EMPSALARY contain?

- A. 0
- B. 5
- C. 7
- D. 12

Answer: A

QUESTION: 3

The following SAS program is submitted:

```
data work.accounting;  
set work.dept1 work.dept2;  
jobcode = 'FA1'; length jobcode $ 8; run;
```

A character variable named JOBCODE is contained in both the WORK.DEPT1 and WORK.DEPT2 SAS data sets. The variable JOBCODE has a length of 5 in the WORK.DEPT1 data set and a length of 7 in the WORK.DEPT2 data set. What is the length of the variable JOBCODE in the output data set?

- A. 3
- B. 5

- C. 7
- D. 8

Answer: B

QUESTION: 4

Given the SAS data set SASDATA.TWO:

SASDATA.TWO

XY

52

31

56

The following SAS program is submitted:

```
data sasuser.one two sasdata.three;
```

```
set sasdata two;
```

```
if x = 5 then output sasuser.one;
```

```
else output sasdata two;
```

```
run;
```

What is the result?

- A. data set SASUSER.ONE has 5 observations data set SASUSER.TWO has 5 observations data set WORK.OTHER has 3 observations
- B. data set SASUSER.ONE has 2 observations data set SASUSER.TWO has 2 observations data set WORK.OTHER has 1 observations
- C. data set SASUSER.ONE has 2 observations data set SASUSER.TWO has 2 observations data set WORK.OTHER has 5 observations
- D. No data sets are output.

The DATA step fails execution due to syntax errors.

Answer: A

QUESTION: 5

The following SAS program is submitted:

```
footnote 1 'Sales Report for Last Month'; footnote2 'Selected Products Only'; footnote3 'All Regions';
```

```
footnote4 'All Figures in Thousands of Dollars';
```

```
proc print data = sasuser.shoes;
```

```
footnote2 'All Products';
```

```
run;
```

Which footnote(s) is/are displayed in the report?

- A. All Products

- B. Sales Report for Last Month All Products
- C. All Products All Regions All Figures in Thousands of Dollars
- D. Sales Report for Last Month All Products All Regions All Figures in Thousands of Dollars

Answer: B

QUESTION: 6

Given the raw data record DEPT:

```
----|----10---|----20---|----30
```

Printing 750

The following SAS program is submitted:

```
data bonus;
infile 'dept';
inputdept$ 1-11 number 13- 15;
<insert statement here>
run;
```

Which SAS statement completes the program and results in a value of 'Printing750' for the DEPARTMENT variable?

- A. department = dept || number;
- B. department = left(dept) || number;
- C. department = trim(dept) || number;
- D. department = trim(dept) || put(number,3.);

Answer: D

QUESTION: 7

The following SAS program is submitted:

```
data one;
address1 = '214 London Way';
run;
data one;
set one;
address = tranwrd(address1, 'Way', 'Drive'); run;
```

What are the length and value of the variable ADDRESS?

- A. Length is 14; value is '214 London Dri'.
- B. Length is 14; value is '214 London Way'.
- C. Length is 16; value is '214 London Drive'.
- D. Length is 200; value is '214 London Drive'.

Answer: D

QUESTION: 8

The following SAS program is submitted:

```
data work.sets;  
do until (prod gt 6);  
prod + 1;  
end;  
run;
```

What is the value of the variable PROD in the output data set?

- A. 6
- B. 7
- C. 8
- D. (missing numeric)

Answer: B

QUESTION: 9

The SAS data sets WORK.EMPLOYEE and WORK.SALARY are shown below:

WORK.EMPLOYEE WORK.SALARY

fname age name salary

Bruce 30 Bruce 25000

Dan 40 Bruce 35000

Dan 25000

The following SAS program is submitted:

```
data work.empdata;  
by fname; totalsal + salary; run;
```

Which one of the following statements completes the merge of the two data sets by the FNAME variable?

- A. merge work.employee work.salary (fname = name);
- B. merge work.employee work.salary (name = fname);
- C. merge work.employee
work.salary (rename = (fname = name));
- D. merge work.employee work.salary (rename = (name = fname));

Answer: D

QUESTION: 10

Which program displays a listing of all data sets in the SASUSER library?

- A. proc contents lib = sasuser.all; run;
- B. proc contents data = sasuser.all; run;
- C. proc contents lib = sasuser._all_; run;
- D. proc contents data = sasuser._all_; run;

Answer: D

QUESTION: 11

The following SAS program is submitted:

```
proc sort data = work.employee;
by descending fname;
proc sort data = work.salary;
by descending fname; data work.empdata; merge work.employee work.salary;
by fname;
run;
```

Why does the program fail to execute?

- A. The SORT procedures contain invalid syntax.
- B. The merged data sets are not permanent SAS data sets.
- C. The RUN statement was omitted after each of the SORT procedures.
- D. The data sets were not merged in the order by which they were sorted.

Answer: D

QUESTION: 12

The following SAS program is submitted:

```
data work.sales; do year = 1 to 5; do month=1 to 12; x+1;
output end; end; run;
```

How many observations are written to the WORK SALES data set?

- A. 0
- B. 1
- C. 5
- D. 60

Answer: D

QUESTION: 13

Given the following raw data record:

```
----I----10---I----20---I----30
```

son Travis,

The following output is desired:

Obs relation firstname

1 son Travis

Which SAS program correctly reads in the raw data?

- A. data family (dIm = ','); infile 'file specification'; input relation \$ firstname \$; run;
- B. options dIm = ','; data family; infile 'file specification'; input relation \$ firstname \$; run;
- C. data family; infile 'file specification' dIm = ','; input relation \$ firstname \$; run;
- D. data family; infile 'file specification'; input relation \$ firstname \$ / dim = ','; run;

Answer: C

QUESTION: 14

Given the SAS data set AGES:

AGES

AGE

The variable AGE contains character values. The following SAS program is submitted:

```
data subset;
```

```
set ages;
```

```
where age > 12;
```

```
run;
```

How many observations are written out to the data set SUBSET?

- A. 0
- B. 1
- C. 2
- D. 3

Answer: A

QUESTION: 15

Given the SAS data set PRICES:

PRICES

```
prodid price K12S5.10producttype NETWORKsales
```

```
15returns
```

```
2
```

```
B132S 2.34HARDWARE30010
```

```
R18KY21.29SOFTWARE255
```

```
3KL8BY 6.37HARDWARE12515
```

```
DY65DW 5.60HARDWARE455
```

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

