

# E20-822

# **EMC**

CLARiiON Solutions Expert Exam for Storage Administrators

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your E20-822 exam in first attempt and also get high scores to acquire EMC certification.

If you use OfficialCerts E20-822 Certification questions and answers, you will experience actual E20-822 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our EMC exam prep covers over 95% of the questions and answers that may be appeared in your E20-822 exam. Every point from pass4sure E20-822 PDF, E20-822 review will help you take EMC E20-822 exam much easier and become EMC certified.

Here's what you can expect from the OfficialCerts EMC E20-822 course:

- \* Up-to-Date EMC E20-822 questions as experienced in the real exam.
- \* 100% correct EMC E20-822 answers you simply can't find in other E20-822 courses.
- \* All of our tests are easy to download. Your file will be saved as a E20-822 PDF.
- \* EMC E20-822 brain dump free content featuring the real E20-822 test questions.

EMC E20-822 certification exam is of core importance both in your Professional life and EMC certification path. With EMC certification you can get a good job easily in the market and get on your path for success. Professionals who passed EMC E20-822 exam training are an absolute favorite in the industry. You will pass EMC E20-822 certification test and career opportunities will be open for you.

http://tripleamarine.com/?cert=exams.asp?examcode=E20-822



## Question: 1


A customer runs its critical Oracle environment through a Fibre Channel connection to a CX3-40c. In order to leverage the existing iSCSI connections, management decides to allocate a small amount of storage to support several Windows file servers. The customer needs to make certain that the Oracle SLA is not impacted by the non-critical Windows file servers. Which solution do you recommend?

- A. Use Navisphere Quality of Service Manager to set limits on applications connected through iSCSI
- B. Change the write aside cache value for Windows LUNs
- C. Use Navisphere Service Taskbar to assign a higher SLA to the Oracle environment
- D. CX3-40c will automatically assign higher priority to FC connections over iSCSI

# **Answer: A**

# Question: 2

Click the Exhibit button.



The application using LUN 21 performs mainly 16 kB I/O operations. What is true of LUN 21?

- A. Read performance would improve if read cache was increased from 250 MB to 500 MB
- B. The application performs mainly read-modify-write-read operations
- C. The read cache hit ratio is above 50%
- D. The read I/O access pattern is largely random

# **Answer: D**

# Question: 3

You are a storage administrator who has been tasked with sizing a database LUN for an Exchange 2007 mailbox server. You have been provided with the following information regarding basic capacity requirements:

450 users

200 MB mailbox size

2.5 MB mail sent\day

Deleted items retained for 14 days

Deleted mailboxes retained for 30 days

You have also been provided with additional information regarding usage and maintenance processes:

Online maintenance takes 3 days to complete

Approximately five mailboxes are deleted during an average month

Content indexing will not be performed

Offline maintenance will be performed on a separate LUN

Which approximate LUN size will satisfy the listed requirements and still allow for 20% yearly growth?

A. 145 GB

B. 175 GB


C. 355 GB

D. 455 GB

# **Answer: B**

# Question: 4

Click the Exhibit button.



A customer is complaining that SAN Copy sessions from CLARiiON-A to CLARiiON-B take substantially longer than from those to CLARiiON-C. All hosts have 4 Gb/s HBAs. All Cisco equipment is base hardware configurations.

Which component is causing the issue?

A. 9020s

B. 9216

C. HBAs

D Hosts

## Answer: B

# Question: 5

A new CLARiiON arrives at a customer's site and an EMC Customer Engineer performs the physical installation. The storage administrator is under a lot of pressure to have the array online and in production by the end of the week. The storage administrator selects several Windows and Solaris servers for the initial production rollout. The storage requirements have been agreed upon and the storage administrator creates 30 LUNs of various sizes based upon EMC best practices.

The administrator works with the server team to install HBAs, update settings, install EMC software, and then perform the necessary cabling and zoning requirements. After the hosts successfully register with the CLARiiON array, the Windows and Solaris administrators state each server has 30 LUNs allocated.

What does the storage administrator need to accomplish to ensure each server has access to the appropriate LUNs?

- A. Create the appropriate storage groups
- B. Disable Access Logix
- C. Enable Access Logix
- D. Fix the incorrect zones

#### Answer: C

#### Question: 6

A customer has set up a disaster recovery site 50 miles (81 km) away from their production site. The customer is using MirrorView/S over IP with the Write Intent Log enabled. In addition, they have a dedicated 45 Mb/s line with a latency of 2 ms. During the testing of the automated solution for disaster recovery, an administrator accidentally disables the Write Intent Log. What is the likely outcome of this error if a secondary image becomes fractured?

- A. The fracture log will continue to maintain a log of changed blocks.
- B. The fracture log will continue to persistently maintain a log of changed blocks.
- C. The Write Intent Log will flush all records of changes.
- D. The Write Intent Log will hold change records up to the point where it was disabled.

## **Answer: A**

## Question: 7

Click the Exhibit button.

06:56:31 AM 0x71310007 CMID Tra	ansport Device 2: Gate 0 connects to SP ID 0x6fb320b060010650:0 (Signature 0x12b8bb)
	ansport Device 2: 1 gate(s) found.    00 00 04 00 03 00 4e 00 d3 04 00 00 07 00 31 61 07 00
05:21:10 AM 0x71050401 K10 5006	50160b020b36f became unreachable。 00 00 04 00 02 00 64 00 d3 04 00 00 01 04 05 61 01
05:21:10 AM 0x71100001 Lost cont	act with 6fb320b060010650:0 on conduit 7. 00 00 04 00 04 00 4c 00 d3 04 00 00 01 00 1:
05:21:10 AM 0x71100001 Lost cont	act with 6fb320b060010650;0 on conduit 8.   00 00 04 00 04 00 4c 00 d3 04 00 00 01 00 1:

Based on the exhibit, what happened between 05:21 A.M. and 06:56 A.M.?



# OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams updated on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- No authorization code required to open exam.
- Portable anywhere.
- 100% success Guarantee.
- Fast, helpful support 24x7.

View list of All exams we offer: http://www.officialcerts.com/allexams.asp

To contact our Support;

http://www.officialcerts.com/support.asp

View FAQs

http://www.officialcerts.com/faq.asp

Download All Exams Samples

http://www.officialcerts.com/samples.asp

To purchase Full Version and updated exam; http://www.officialcerts.com/allexams.asp

3COM ADOBE APC Apple BEA BICSI CheckPoint Cisco	CompTIA ComputerAssociates CWNP DELL ECCouncil EMC Enterasys ExamExpress Evin	Filemaker Fortinet Foundry Fujitsu GuidanceSoftware HDI Hitachi HP	IBM IISFA Intel ISACA ISC2 ISEB ISM Juniper	LPI McAfee McData Microsoft Mile2 NetworkAppliance Network-General Nokia
Cisco	ExamExpress Exin ExtremeNetworks	HP	Juniper	Nokia
Citrix		Huawei	Legato	Nortel
CIW		Hyperion	Lotus	Novell

















**OMG** 

Oracle





Sybase

Sun



