

# E20-830

## EMC

### *Networked Storage-NAS Expert Exam for Technology Architects*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your E20-830 exam in first attempt and also get high scores to acquire EMC certification.*

*If you use OfficialCerts E20-830 Certification questions and answers, you will experience actual E20-830 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our EMC exam prep covers over 95% of the questions and answers that may be appeared in your E20-830 exam. Every point from pass4sure E20-830 PDF, E20-830 review will help you take EMC E20-830 exam much easier and become EMC certified.*

*Here's what you can expect from the OfficialCerts EMC E20-830 course:*

- \* Up-to-Date EMC E20-830 questions as experienced in the real exam.*
- \* 100% correct EMC E20-830 answers you simply can't find in other E20-830 courses.*
- \* All of our tests are easy to download. Your file will be saved as a E20-830 PDF.*
- \* EMC E20-830 brain dump free content featuring the real E20-830 test questions.*

*EMC E20-830 certification exam is of core importance both in your Professional life and EMC certification path. With EMC certification you can get a good job easily in the market and get on your path for success. Professionals who passed EMC E20-830 exam training are an absolute favorite in the industry. You will pass EMC E20-830 certification test and career opportunities will be open for you.*

<http://tripleamarine.com/?cert=exams.asp?examcode=E20-830>



**QUESTION: 1**

You have a customer who is purchasing a new EMC NAS solution with the following requirements:

- No DFS (Distributed File System)
- Three 10 TB file shares

Which NAS platform do you propose?

- A. NS502
- B. NS602
- C. NS704G
- D. CNS-14 with five 514 Data Movers

**Answer: C**

**QUESTION: 2**

You are planning for replication between two NS502G Celerras. One is located in New York, one is in Los Angeles. What must be considered for replication to be successfully established?

- A. Time on both Celerras must be synchronized
- B. Both sites must point to the same DNS servers
- C. Each Control Station must be in the same domain
- D. The rdf passphrase on each Celerra cannot be the same

**Answer: A**

**QUESTION: 3**

An existing Celerra Customer utilizes its Data Movers with its UNIX NFS environment. It currently updates the password and group files nightly on the Data Movers. They would like to add a new group of Windows' users to the Data Movers. Which architecture should be proposed?

- A. Use the Usermapper for the Windows' users
- B. Use Usermapper with a VDM for the Windows' users
- C. Use the NTMigrate tools to create files and merge them into existing password and group files
- D. Use Usermapper for the Windows users and groups, dump the database and merge the files nightly

**Answer: C**

**QUESTION: 4**

A customer has an NS704G/DMX with production file systems mounted on server\_2. The standby Data Mover is server\_3, and server\_4 and 5 are unused. There are currently 96 mirrored hyper volumes presented with BCVs. Currently 50% of Celerra volumes are in use. Which solution would best minimize the impact of backups on production data servers.

- A. Configure NDMP 3 way backup with tape drives connected to an unused Data Mover
- B. Take a TimeFinder/FS snap, mount it to an unused Data Mover, and backup the snap
- C. Take a SnapSure checkpoint, mount it to an unused Data Mover, and backup the checkpoint
- D. Use fs\_copy incrementals to create a separate copy of the file system, mount the file system to an unused Data Mover, and back up the copy

**Answer: B**

**QUESTION: 5**

You are designing the implementation of three new NS704G Celerras which will be used for CIFS only. All of the Celerras will be in the same Active Directory domain. Two Celerras will be used for production data and one Celerra will be used for development and testing. What is the EMC best practice for configuring Usermapper?

- A. Configure each Celerra with its own Usermapper server on server\_2
- B. Enable Usermapper on server\_2 of one Celerra and run a secondary User mapper on server\_2 of the other two
- C. Let the two production Celerras run Usermapper on server\_2 in the default configuration and configure the development and testing Celerra with a secondary UserMapper service on server\_2
- D. Set up a default Usermapper server on server\_2 of one production Celerra and a secondary Usermapper server server\_2 of the other production Celerra, then set up another default Usermapper on the development and testing Celerra

**Answer: B**

**QUESTION: 6**

What is one of the considerations for the configuration of the remote target site when designing a unidirectional SRDF solution for the highest level of availability?

- A. The target site Celerra requires only RDF target Data Movers for the primary

Data Movers on the source site

- B. The target site Celerra requires only RDF target Data Movers for the standby Data Movers on the source site
- C. The target site Celerra requires RDF target Data Movers for the primary and associated standby Data Movers on the source site
- D. The target site Celerra Data Movers can each assume the identities of two source Data Movers and so only half the number of Data Movers are required in the target site

**Answer:** B

**QUESTION:** 7

A customer has a multi-protocol environment consisting of mostly Windows users with a few UNIX users. They want to perform Usermapping within Active Directory. What additional action must be taken after the customer extends the Active Directory Schema?

- A. Modify param files
- B. Update Windows registry
- C. Run NTMigrate procedure
- D. Import NIS database to Usermapper

**Answer:** A

**QUESTION:** 8

A customer asks you to design an NDMP2D solution on an existing NAS device. Two shelves of disks remain unused, one is ATA RAID-5 and the other is Fibre Channel RAID-5. What is the EMC best practice for configuring cartridge filesystems?

- A. Reconfigure both shelves to RAID-3 and configure the cartridge file system using LUNs from both of the disk shelves
- B. Reconfigure the ATA shelf to RAID-3 and configure the cartridge filesystem using LUNs from each of the disk shelves
- C. Reconfigure both shelves to RAID-3 and configure the cartridge filesystem using LUNs from only one of the disk shelves
- D. Reconfigure the ATA shelf to RAID-3 and configure the cartridge filesystem using LUNs from only one of the disk shelves

**Answer:** D

**QUESTION:** 9

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

