

E20-840

EMC

Storage Management Expert Exam for Technology Architects

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your E20-840 exam in first attempt and also get high scores to acquire EMC certification.

If you use OfficialCerts E20-840 Certification questions and answers, you will experience actual E20-840 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our EMC exam prep covers over 95% of the questions and answers that may be appeared in your E20-840 exam. Every point from pass4sure E20-840 PDF, E20-840 review will help you take EMC E20-840 exam much easier and become EMC certified.

Here's what you can expect from the OfficialCerts EMC E20-840 course:

- * Up-to-Date EMC E20-840 questions as experienced in the real exam.*
- * 100% correct EMC E20-840 answers you simply can't find in other E20-840 courses.*
- * All of our tests are easy to download. Your file will be saved as a E20-840 PDF.*
- * EMC E20-840 brain dump free content featuring the real E20-840 test questions.*

EMC E20-840 certification exam is of core importance both in your Professional life and EMC certification path. With EMC certification you can get a good job easily in the market and get on your path for success. Professionals who passed EMC E20-840 exam training are an absolute favorite in the industry. You will pass EMC E20-840 certification test and career opportunities will be open for you.

<http://tripleamarine.com/?cert=exams.asp?examcode=E20-840>



QUESTION 1

It is required of you to determine network latency between ControlCenter components, during the designing process of a ControlCenter infrastructure for Certkiller .com.

Match the maximum latency with requirements.

Requirements, select from these

8 ms	15 ms
50 ms	100 ms
20 ms	

Definitions

Requirements, place here

WebConsole	Place here
Jave Console Latency	Place here
Agent Latency (Monitoring)	Place here
Agent Latency (Management)	Place here
Between Server, Store, Store_Repository	Place here

Answer:

Definitions

Requirements, place here

WebConsole	50 ms
Jave Console Latency	15 ms
Agent Latency (Monitoring)	200 ms
Agent Latency (Management)	100 ms
Between Server, Store, Store_Repository	8 ms

QUESTION 2

After a consultative interview with Certkiller .com, where they expressed the desire to employ ControlCenter for all reporting, you discover a limitation of the ControlCenter StorageScope API that will prevent certain reporting from being processed. Which report is excluded from the information provided by the StorageScope API?

- A. File Systems to Storage Array Mappings.
- B. Oracle Database to Storage Array Mappings.
- C. Host-to-Storage End-to-End SAN Mappings.
- D. Host-to-Storage End-to-End NAS Mappings.

Answer: D

QUESTION 3

Certkiller .com wants ControlCenter to monitor the percentage of free space on all the Logical Volumes of their Windows servers. The monitoring frequency should be 15 min, with a Critical alert triggering only if the drive has been at 70% full for at least one hour and immediately for a Fatal alert at 90% full. Which of the following would you recommend in this situation?

- A. Two alert definitions: One monitoring for the Critical condition and the other for the Fatal Condition.
- B. One alert definition with appropriate evaluation conditions.
- C. One alert definition with a Management Policy that will meet Certkiller .com requirement.
- D. One alert definition with two Management Policies.

Answer: B

QUESTION 4

Certkiller .com is in the process of purchasing ControlCenter. They would like their ControlCenter Infrastructure server to be replicated to their continuance of operations site, using SRDF. To achieve this, which SVC groups must be consulted to obtain full approval?

- A. The SVC BC, because they can approve both SRDF and ControlCenter qualifiers.
- B. The SVC, because they can approve both SRDF and ControlCenter Qualifiers.
- C. No SVC consultation is necessary if the account team emails the architect stating they have obtained prior approval from their district manager.
- D. The SVC and the SVC BC.

Answer: D

QUESTION 5

Certkiller .com has expressed interest in deploying an agent to manage and monitor their Novell hosts. If they have 3 Novell Directory Services (NDS) trees, which of the following would be an accurate statement when deploying the Host Agent for Novell?

- A. You must deploy one Host Agent for Novell to manage the 3 NDS trees.
- B. ControlCenter does not support Novell.
- C. You must deploy one Host Agent for Novell per NDS tree.
- D. You must deploy a primary and back-up/secondary agent to manage the 3 NDS trees.

Answer: C

QUESTION 6

Certkiller .com's signature is needed on which three of the following documents? (Choose three)

E20-840

- A. Qualifier.
- B. Configuration Guide.
- C. Statement of Work.
- D. Test and Acceptance Plan.

Answer: B,C,D

QUESTION 7

You need to design a complex EMC SAN migration at Certkiller .com. They already have 2 Cisco MDS 9509 switches and a Hitachi 9900V array. They have decided to purchase two DMX2000P arrays along with ControlCenter from EMC, as they are unhappy with the performance of the current array. They want you to perform a migration from the Hitachi array to the EMC array, and as you perform an assessment of their storage environment, you realize they are using aliases on their Cisco switches. What should you do?

- A. Recommend ABC replace the Cisco supervisor module with an anti-aliased module.
- B. Remove the aliases.
- C. Change the aliases to something more standardized before the migration begins.
- D. Ignore the aliases. ABC can continue to use the SAN in the same way.

Answer: B

QUESTION 8

Certkiller .com would like to consolidate the StorageScope data of three ControlCenter installations, in one site. What would you recommend regarding capacity planning at their main site?

- A. There is nothing to consider, all data is stored locally in each StorageScope installation.
- B. There is nothing to consider, all data is stored locally in each ControlCenter installation.
- C. Have enough space available to accommodate the space used by all reports stored on the master site.
- D. Have enough space available to accommodate the space used by the reports stored in each location.

Answer: C

QUESTION 9

What is the level of support Certkiller .com can expect to receive from EMC, if they are planning to integrate ControlCenter into a third party framework application that is not listed as being supported in the ControlCenter Support Matrix?

- A. Full support can be expected.

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

