

4A0-108

Alcatel-Lucent

Alcatel-Lucent Multicast Protocols

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 4A0-108 exam in first attempt and also get high scores to acquire Alcatel-Lucent certification.

If you use OfficialCerts 4A0-108 Certification questions and answers, you will experience actual 4A0-108 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Alcatel-Lucent exam prep covers over 95% of the questions and answers that may be appeared in your 4A0-108 exam. Every point from pass4sure 4A0-108 PDF, 4A0-108 review will help you take Alcatel-Lucent 4A0-108 exam much easier and become Alcatel-Lucent certified.

Here's what you can expect from the OfficialCerts Alcatel-Lucent 4A0-108 course:

- * Up-to-Date Alcatel-Lucent 4A0-108 questions as experienced in the real exam.*
- * 100% correct Alcatel-Lucent 4A0-108 answers you simply can't find in other 4A0-108 courses.*
- * All of our tests are easy to download. Your file will be saved as a 4A0-108 PDF.*
- * Alcatel-Lucent 4A0-108 brain dump free content featuring the real 4A0-108 test questions.*

Alcatel-Lucent 4A0-108 certification exam is of core importance both in your Professional life and Alcatel-Lucent certification path. With Alcatel-Lucent certification you can get a good job easily in the market and get on your path for success. Professionals who passed Alcatel-Lucent 4A0-108 exam training are an absolute favorite in the industry. You will pass Alcatel-Lucent 4A0-108 certification test and career opportunities will be open for you.

<http://tripleamarine.com/?cert=exams.asp?examcode=4A0-108>



Question: 1

The use of PIM as a multicast routing protocol provides for which one of the following services?

- A. Authentication
- B. Guaranteed Delivery
- C. Device Security
- D. Preventing packet forwarding loops
- E. Preventing Denial of Service attacks

Answer: D

Question: 2

An end station receiving a broadcast packet will always process the data up to which layer of the OSI stack?

- A. Layer 1
- B. Layer 2
- C. Layer 3
- D. Layer 4
- E. Layer 7

Answer: C

Question: 3

Choose the answer that best completes the statement: An end station on an Ethernet network receiving an IP multicast packet will:

- A. Determine at Layer 1 if it is interested in the frame
- B. Determine at Layer 2 if it is interested in the frame
- C. Determine at Layer 2 after reading the protocol ID field if it is interested in the frame
- D. Determine at Layer 3 if it is interested in the frame
- E. Determine at Layer 7 if it is interested in the frame

Answer: B

Question: 4

Which of the following are characteristics of the one to many model of multicast data delivery? (Choose two)

- A. Receivers are generally unknown by the source
- B. Well suited for applications in which the receivers provide feedback to each other and the source
- C. There is a single data flow, from the source to the receivers
- D. All devices are potentially capable of generating multicast data
- E. Receivers are generally known by each other since any receiver may be a source

Answer: A, C

Question: 5

The OUI field of the MAC address for IP multicast frames is:

- A. 00-01-5e
- B. 01-01-53
- C. 01-01-5e
- D. 01-00-5e

E. 01-00-53

Answer: D

Question: 6

Which MAC address will multicast address 224.128.0.1 translate to?

- A. 01-00-5e-80-00-01
- B. 01-00-5e-22-41-40
- C. 01-00-5e-22-28-01
- D. 00-01-5e-80-00-01
- E. 01-00-5e-00-00-01
- F. 01-01-5e-22-28-01

Answer: E

Question: 7

Which two of the following addresses should not be used in a multicast network at the same time?

- A. 233.44.12.35
- B. 234.45.12.35
- C. 235.46.12.35
- D. 236.174.12.35
- E. 237.171.12.35

Answer: C, D

Question: 8

Which MAC address will the IP multicast address 239.33.42.107 translate to?

- A. 01-00-5e-a1-2a-6b
- B. 01-00-5e-21-2a-6b
- C. 01-00-5e-21-2c-6c
- D. 00-01-5e-a1-2a-6b
- E. 00-01-5e-21-2a-6b
- F. 01-01-5e-a1-2a-6b

Answer: B

Question: 9

What is the range of addresses allocated for SSM?:

- A. 239.0.0.0/8
- B. 233.x.y.0/24
- C. 224.0.0.0/24
- D. 232.0.0.0/8

Answer: D

Question: 10

How many bits of the IP multicast address are copied directly to the multicast MAC address?

- A. 27
- B. 5

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

